

#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

### Child Care Facility Inspection

| County Carriere Pre-So 7264 Hwy 11., Carriere, N  | 1S 39426 Q / 8/1  | 18   |     |      |         |
|---|---|------|-----|------|---------|
| 601-798-6301 Lic. No.:  | 55C4RM-5321 [umber  |      |     |      |         |
| Facility Name   | Bo  |      |     |      |         |
| Purpose henewal Cap   | pacity  |      |     |      |         |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met                       | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities |      | Out | cos  | N/A     |
| Center capacity met  License/complaint visible  Certified food manager  | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair  |      |     |      |         |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,             | 九九九  |     |      |         |
| and functioning Food service approved   | and functioning  Electrical outlets protected   | A    |     |      |         |
| Possible Monetary Penalty  Monetary Penalty   | Large appliances located properly Sinks and toilets working properly  | B    |     |      |         |
| 1\$   | Hot water at all sinks, not to exceed 120° Children barred from kitchen   | 1    |     |      |         |
| 3   | Vending machine snacks meet<br>nutritional guidelines, if present<br>Exits, doors and fastening devices                                   |      |     |      | <u></u> |
| 4   | single action approved and in good working order  | N    |     |      |         |
| Age/Child/Staff Name  | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and            | A    |     |      |         |
| 1. 3 - 4 - N. Danet   | in good working order   | A    |     |      |         |
| 2. 4 - 11 - E. Dalon 3.   | First aid kits stocked and easily accessil  | ole_ |     |      |         |
| 4.  | Playground area clean, shaded, well drained and equipped and fence in good repair   |      |     |      |         |
| 5.  | Playground equipment meets standards  | N    |     |      |         |
| 6   | Pool area clean, fenced, and adequately maintained  |      |     |      | P       |
| C + Di + + + + + + + + + + + + + + + + +  | Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative                                   |      |     |      | 2010    |
| Center Director/Individual / hung/ war  | _ Clind Care Representative   |      | uu  | Ch 1 | LING    |

White Copy - Facility File Yellow Copy Mississippi State Department of Health

Yellow Copy - Facility Operator

12-10-08

Form No. 281



#### **Child Care Encounter**

| District  | — Child Care Effectifier   | Date 2 /8/18                            |
|---|--|---|
| NameAddressPurpose_Beneual  | 1 <sup>st</sup> Baptist Carriere Pre-School<br>7264 Hwy 11.,Carriere, MS 39426<br>601-798-6301 Lic. No.: 55C4RM-5321<br>Director: Vanessa Dorr |   |
| Mileage Start  County Rock River  Time In 10:00 cm  | Time Out 11:00 Gm Total Time   | >                                       |
| Findings/Comments All in spection. No   | deficiencies Observed  | renewal.                                |
| Facility is do  | ing an awisome job.  | Everything was                          |
| + Dend remaining  | s chass contact hour to  | o Sharetha Poenrett<br>o send fire form |
| Durvey card giv   | oen to Vanessa Durr La   | irector).                               |
|   |  |   |
| "Class I and II violations may result in a monetary penalty. Repeated violation n result in the doubling of a monetary penalty, suspension or revocation of the license." |  |   |
|   |  |   |

Mississippi State Department of Health

Center Director/Designee/Individual

Revised 6-24-09

White Copy - Facility File Yellow Copy - Operator 1<sup>st</sup> Baptist Carriere Pre-School 7264 Hwy 11., Carriere, MS 39426 601-798-6301 Lic. No.: 55C4RM-5321

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Director: Vanessa Dorr

## **Child Care Program Review**

|                          |          |                      | 0/0/12  |
|--------------------------|----------|----------------------|---|
| racinty manie License No |          | License No Date Date |   |
|                          |          |                      |   |
|                          |          |                      |   |
| Yes                      |          | N/A                  |   |
| 1.                       |          |                      | Policies and procedures (Parent's Handbook) {Rule 1.4.1}  |
| 2.                       |          |                      | Proof of Accident/Liability Insurance or documentation that parent has been notified that no                |
| 2 5                      |          | -                    | insurance is in effect {Rule 1.4.1 (i) & (j)}   |
| 3.                       |          | 0                    | Approved arrival and departure procedures {Rule 1.4.1 (2)}  |
| 4.                       |          | 0                    | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}   |
| 5.                       |          |                      | Attendance records for children and staff {Rule 1.6.3 (1)}  |
| 6.                       |          | 0                    | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}                           |
| 7.                       |          |                      | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}                               |
| 8. <b>2</b> 9. <b>3</b>  |          |                      | Monthly records of fire/disaster drills {Rule 1.6.3 (5)}  |
|                          |          |                      | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}                                   |
| 10.                      |          |                      | Immunization Records for Children and Staff (Rule 1.6.3 (8))  |
| 12.                      |          | 0                    | Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13.                      | <u> </u> | <u> </u>             | Children records (attach children's records form) {Rule 1.6.7}  |
| 14.                      | <u> </u> | ₽.                   | Reports of serious occurences made as required {Rule 1.7.1}   |
| 15.                      | 0        | A                    | Communicable diseases reported as required {Rule 1.7.1}   |
| 16.                      | 0        | 0                    | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}                             |
| 17.                      | ) (      | ā                    | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}                         |
| 18.                      | 0        | <u> </u>             | Age appropriate program of activities posted in each room {Subchapter 9}                                    |
| 19.                      | 0        | D                    | Required toys present in infant room {Rule 1.10.1 (2)}  |
| 20.                      | <u> </u> | ā                    | Required toys present in toddler room {Rule 1.10.1 (2)}   |
| 21.                      |          | ū                    | Required toys present in total (700) Required toys present preschool room {Rule 1.10.1 (4)}                 |
| 22.                      |          | ā                    | Licensed pest control contractor {Rule 1.11.14}   |
| 23. 🗆                    |          |                      | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}                      |
| 24.                      |          |                      | Appropriate discipline policy followed {Subchapter 14}  |
| 25.                      |          |                      | Appropriate transportation policy followed {Subchapter 15}  |
| 26. 🗆                    |          | 1                    |   |
|                          |          |                      |   |
| Comm                     | ents     | /Reco                | ommendations Pass renewal inspection. "   |
|                          |          |                      |   |
|                          |          |                      |   |
| 3:                       |          |                      |   |
|                          |          |                      |   |
|                          |          |                      |   |
|                          |          |                      |   |
|                          |          |                      |   |
| -                        | -        |                      |   |
|                          |          |                      |   |
| Pas                      | s —      |                      |   |
|                          |          | to be i              | ssued: Regular D Probational Restricted   |
| □ Fail                   |          | 1                    |   |
|                          |          | ıp with              | in days laws all on Denny   |
|                          |          | _                    | Director Designee Child Care Representative   |

# Child Care Licensure Playground Checklist

| Cent | er Na | ame _    |            | 1st Baptist Carriere Pre-School 7264 Hwy 11., Carriere, MS 39426 601-798-6301 Lic. No.: 55C4RM-5321 Director: Vanessa Dorr   |
|------|-------|----------|------------|--|
| YES  | NO    | N/A<br>□ | 1          | Playground fence less than 3 ½" trom surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)  |
| Z    |       |          | 2.         | with no gaps? (Rule 1.11.9 (8), pg 48)  2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)   |
| A    |       |          | 3.         | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)  |
|      |       |          | 4.         | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)  |
| D    |       |          | 5.         | No standing water present on playground or in/on playground equipment or walkways?  (CPSC 2.4.2.2-5, pg 10)  |
|      |       |          | 6.         | Remark in good renair? (none broken/delenorating) (Rute 1.10.2 (2), PS   |
|      |       |          | 7.         | gradual wide smooth walking surface? (no trip hazards) (CFBC 3.0, pg 13)   |
| A    |       |          | 8.         | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and renoing  All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and renoing  (Rule 1.11.9 (5), pg 47) |
| D    |       |          | 9.         | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)  Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)            |
| 9    |       |          | 10.        | Are use zones adequate? If not, where are they hadden  |
|      |       | A.       | Personal C | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)  |
| Ø    |       |          | 12.        | If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5. 3. 6. 4-5 pgs 34-35)  |
| _    | _     |          | 13.        | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)   |
|      |       | 7        |            | sign and being used? If not state which pieces are mapping that  |
|      |       | Ц        | 14.        |  |
|      |       |          | 15.        | Is playground area clean & free of hazards? If not, state deficiency.  [Rule 1.11.11 (1), pg 4]  |
|      |       |          | 16.        | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)  |
|      |       |          | 17.        | Are concrete feetings located at least 6" beneath the surface! (Rule 1.10.2 (2), pg 30)  |
|      |       |          | 18.        | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC  |
| Lima | tor   | 1        | 10.        | 2.5.5)  Licensing Official Shorotho Bonnor   |